

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,933,042 B2
DATED : August 23, 2005
INVENTOR(S) : Gill

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6,

Line 25, after "free area" remove the comma ",";
Line 28, after "free areas" remove the comma ",";
Line 29, after "free areas" insert -- , --;

Column 7,


Line 18, after "areas and" remove the comma ",";
Line 22, after "area" remove the comma ",";
Line 24, after "pinned" insert -- area --;
Line 37, after "areas have" insert -- a --;
Line 59, after "pinned area" remove the comma ",";
Line 59, after "free area" remove the comma ",";
Line 60, after "direction" insert -- , --;

Column 8,

Line 1, after "nanoconstricted area" remove the comma ",";
Line 3, after "free areas" remove the comma ",";
Line 5, after "free area" insert -- , --;
Line 5, before "the height" delete "areas immediately";
Line 16, after "pinned area" remove the semicolon ";";
Line 18, after "applied" insert -- ; --.

Signed and Sealed this

Twenty-fifth Day of October, 2005

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS

Director of the United States Patent and Trademark Office